JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 330 (1987)

AUTHOR INDEX

Abid, K.Y., (330) 337
Albinati, A., (330) 85
Alt, H.G., (330) 325
Ang, H.G., (330) C5
Azarian, D.B., (330) 1

Bakhmutov, V.I., (330) 161
Balducci, G., (330) 185
Bandy, J.A., (330) 61
Basolo, F., (330) 221
Battaglia, L.P., (330) 101
Battiste, M.A., (330) 437
Bazhenova, T.A., (330) 9
Beck, W., (330) 389, C13
Bellenbaum, M., (330) C23
Bitsi, G., (330) 429
Brodt, C.A., (330) C33
Buchert, P., (330) 357

Calderazzo, F., (330) 47
Cenini, S., (330) 265
Ceriotti, A., (330) 237
Cheng, S., (330) C17
Chiesa, A., (330) 25
Chiusoli, G.P., (330) 101
Clark, P.W., (330) 447
Colbran, S.B., (330) 415
Colonna, S., (330) 357
Consiglio, G., (330) 305
Costa, G., (330) 185
Coxon, J.M., (330) 437

Davis, R.E., (330) 115
Della Pergola, R., (330) 237
Delledonne, D., (330) 101
Demartin, F., (330) 265
Donaldson, W.A., (330) C33
Dyke, S.F., (330) 447
Dziallas, M., (330) 207

Eaborn, C., (330) 1
Esteruelas, M.A., (330) 179

Fanizzi, F.P., (330) C27, C31
Fernandez, M.-J., (330) 179
Filippou, A.C., (330) 325, C1
Fischer, E.O., (330) 325, C1
Fischer, R.A., (330) 365, 377
Fritz, P.M., (330) 389
Fusi, A., (330) 25

Gaš, B., (330) 75
Gielen, M., (330) 315
Green, M.L.H., (330) 61
Griggs, Jr., G., (330) 437
Grundke, J., (330) C23

Haiduc, I., (330) 315
Halpern, J., (330) 155
Hanton, L.R., (330) 415
Hare, P.M., (330) 61
Hay, C.M., (330) C5
Hecht, C., (330) 389
Herdtweck, E., (330) 389
Herrmann, W.A., (330) 365, 377, 389
Hidaka, T., (330) 253
Höhn, A., (330) 207

Ibers, J.A., (330) 279
Ilieş, F., (330) 315
Issleib, K., (330) 17

Janiak, C., (330) 347
Jenner, G., (330) 429
Jensen, C.M., (330) 133
Johnson, B.F.G., (330) C5

Kaesz, H.D., (330) 133
Kashiwabara, K., (330) 291
Kennard, C.H.L., (330) 447
Khani, H., (330) 347
King, R.B., (330) 115
Klein, A., (330) 357
Klíma, J., (330) 75
Kneuper, H.-J., (330) 365
Kollár, L., (330) 305
Kumar, R., (330) 185

Lapitajs, G., (330) 357
Lappert, M.F., (330) 31
Lee, D.H., (330) C20
Lehmkuhl, H., (330) C23
Leissring, E., (330) 17
Levitin, I.Ya., (330) 161
Lewis, J., (330) C5
Lickiss, P.D., (330) 1
Linn, Jr. D.E., (330) 155
Lobkovskaya, R.M., (330) 9
Longoni, G., (330) 237

Maitlis, P.M., (330) 179, C27, C31
Manassero, M., (330) 237
Manfredi, A., (330) 357
Markó, L., (330) 201
Masciocchi, N., (330) 237,265
McWhinnie, W.R., (330) 337
Miholová, D., (330) 75
Misra, M.C., (330) 31
Moro-oka, Y., (330) C20
Mukerji, I., (330) C17
Müller, H.-J., (330) C13
Murray, R.M., (330) 115

Naegeli, R., (330) 85
Nardelli, M., (330) 101

Onyszchuk, M., (330) 31
Oro, L.A., (330) 179
Ozawa, F., (330) 253

Pampalone, G., (330) 47
Pelizzi, C., (330) 101
Pergola, R. Della, (330) 237
Pino, P., (330) 305
Pizotti, M., (330) 265
Porta, F., (330) 265
Power, P.P., (330) 31
Predieri, G., (330) 101
Puxeddu, A., (330) 185

Rabaâ, H., (330) 397
Raithby, P.R., (330) C5

0022-328X/87/$03.50 © 1987 Elsevier Sequoia S.A.

Rheingold, A.L., (330) 221
Robinson, B.H., (330) 415
Robinson, W.T., (330) 415
Rohrmann, J., (330) 389
Ross, P.K., (330) 115
Rowe, R.S., (330) 31
Ruiz, J., (330) 179

Sackett, D., (330) 437
Saez, I.M., (330) C27
Saillard, J.Y., (330) 397
Saito, K., (330) 291
Sansoni, M., (330) 237
Schmidt, H., (330) 17
Schubert, U., (330) 397
Schumann, H., (330) 347
Shibaeva, R.P., (330) 9
Shilov, A.E., (330) 9
Shilova, A.K., (330) 9
Silvestru, C., (330) 315
Simms, B.L., (330) 279
Simpson, J., (330) 415
Sisak, A., (330) 201
Slade, M.J., (330) 31
Smith, A.J., (330) 179
Smith, G., (330) 447
Solladié-Cavallo, A., (330) 357
Steel, P.J., (330) 437
Struchkov, Yu.T., (330) 161
Sunley, G.J., (330) C27, C31
Suzuki, H., (330) C20

Tavagnacco, C., (330) 185
Togni, A., (330) 85
Tsikalova, M.V., (330) 161

Ugo, R., (330) 25

Venanzi, L.M., (330) 85
Vlček, A.A., (330) 75
Vol'pin, M.E., (330) 161

Wayda, A.L., (330) C17
Werner, H., (330) 207
Whitton, A.J., (330) C5

Yamamoto, A., (330) 253
Yamamoto, T., (330) 253
Yanovsky, A.I., (330) 161
Yünlü, K., (330) 221

Záliš, S., (330) 75
Zuckerman, J.J., (330) 315

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 330 (1987)

SUBJECT INDEX

Aluminium

Aluminohydridoruthenium(II) complexes, preparation of (D.H. Lee, H. Suzuki, Y.Morooka), (330) C20

Bismuth

Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $Os_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, $Os_4(CO)_{12}(\mu_4\text{-}Bi)_2$, $Ru_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, and $Ru_4(CO)_{12}(\mu_4\text{-}Bi)_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whitton), (330) C5

Chromium

2,2′-Bipyridine and 4,4′-diphenyl-2,2′-bipyridine and their $M(CO)_4$ complexes, electrochemical reduction of (D. Miholová, B. Gaš, S. Záliš, J. Klima, A.A. Vlček), (330) 75

Ephedrine analogs, asymmetric synthesis of (A. Solladié-Cavallo, G. Lapitajs, P. Buchert, A. Klein, S. Colonna, A. Manfredi), (330) 357

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Cobalt

$(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4CCo_3(CO)_9]$ and $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4CCo_3(\eta^5\text{-}C_5H_5)_3CH]$, crystal and elctronic structures of (S.B. Colbran, L.R. Hanton, B.H. Robinson, W.T. Robinson, J. Simpson), (330) 415

Cobalt-mixed Schiff base/oxime chelates, electrochemistry of (G. Costa, C. Tavagnacco, A. Puxeddu, G. Balducci, R. Kumar), (330) 185

Cobalt-nickel carbide bimetallic clusters; synthesis and crystal structure of the dianions $[Co_2Ni_{10}(CO)_{20}C]^{2-}$ and $[Co_3Ni_9(CO)_{20}C]^{2-}$ (A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, N. Masciocchi, M. Sansoni), (330) 237

Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

Dicobalt octacarbonyl, mechanistic studies on disproportionation with hard Lewis bases of (A. Sisak, L. Markó), (330) 201

Organocobalt chelates with tridentate Schiff bases, template synthesis of; crystal structure of [MeCo(7-Me-salen-*N*-Me)(*N*-Me-en)]I (I.Ya. Levitin, M.V. Tsikalova, V.I. Bakhmutov, A.I. Yanovsky, Yu.T. Struchkov, M.E. Vol'pin), (330) 161

Germanium

Bivalent group 14 metal amides and alkyls, addition reactions of organic halides of acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

Iridium

η^6-Arene-rhodium(III) and -iridium(III) complexes, $[(Me_2SiC_6H_5)_4M_2H_2]$ (M = Rh, Ir), synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179

Cyclopentadienyl(olefin)(triisopropylphosphine)-iridium and cyclopentadienyl(bis-olefin)iridium, preparation and reactions of (M. Dziallas, A. Höhn, H. Werner), (330) 207

Rhodium(I) dimeric complex with bridging σ- and π-bonded 2,5-dimethylpyrrolido ligands, synthesis, structure and reactions of (K. Yünlü, F. Basolo, A.L. Rheingold), (330) 221

Iron

[Bis(diphenylphosphino)ethane]tricarbonyliron-(0), crystal and molecular structure of (L.P. Battaglia, D. Delledonne, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (330) 101

$(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4CCo_3(CO)_9]$ and $(\eta^5\text{-}C_5H_5)Fe[\eta^5\text{-}C_5H_4CCo_3(\eta^5\text{-}C_5H_5)_3CH]$, crystal and electronic structures of (S.B. Colbran, L.R. Hanton, B.H. Robinson, W.T. Robinson, J. Simpson), (330) 415

Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

Organoiron complexes containing selenium atom bridges, structure of (C. Hecht, E. Herdtweck, J. Rohrmann, W.A. Herrmann, W. Beck, P. Fritz), (330) 389

Lead

Bivalent group 14 metal amides and alkyls, addition reactions of organic halides of acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

Lithium

Hexameric lithium dimethylnaphthylsilanoate, $[LiOSiNpMe_2]_6$, crystal and molecular structure of (T.A. Bazhenova, R.M. Lobkovskaya, R.P. Shibaeva, A.E. Shilov, A.K. Shilova), (330) 9

Tris(trimethylsilyl)methylsilicon compounds, reactions with organolithium reagents of (D.B. Azarian, C. Eaborn, P.D. Lickiss), (330) 1

Manganese

$C_5H_5MnL_2HSiR_3$ complexes, MO analysis of the MnSiH three-centre interaction in (H. Rabaâ, J.-Y. Saillard, U. Schubert), (330) 397

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π-bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Metallocenes

Cyclopentadienylthallium(I) compounds with bulky cyclopentadienyl ligands, preparation and characterisation of (H. Schumann, C. Janiak, H. Khani), (330) 347

Tetrachlorodimethoxycyclopentadiene and nickelocene-dimethyl acetylenedicarboxylate adduct, Diels–Alder reaction between, crystal structure of the products (M.A. Battiste, B.G. Griggs Jr., D. Sackett, J.M. Coxon, P.J. Steel), (330) 437

Molybdenum

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrman), (330) 365

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π-bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Nickel

Cobalt-nickel carbide bimetallic clusters; synthesis and crystal structure of the dianions $[Co_2Ni_{10}(CO)_{20}C]^{2-}$ and $[Co_3Ni_9(CO)_{20}C]^{2-}$ (A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, N. Masciocchi, M. Sansoni), (330) 237

Tetrachlorodimethoxycyclopentadiene and nickelocene-dimethyl acetylenedicarboxylate adduct. Diels–Alder reaction between, crystal structure of the products (M.A. Battiste, B.G. Griggs Jr., D. Sackett, J.M. Coxon, P.J. Steel), (330) 437

Niobium

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47

Osmium

Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $Os_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, $Os_4(CO)_{12}(\mu_4\text{-}Bi)_2$, $Ru_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, and $Ru_4(CO)_{12}(\mu_4\text{-}Bi)_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whitton), (330) C5

Palladium

Catalytic carbopalladation of ω-methylenebicyclo[*n*.1.0]alkanes (W.A. Donaldson, C.A. Brodt), (330) C33

Cyclopalladation of benzylidenebenzylamines (P.W. Clark, S.F. Dyke, G. Smith, C.H.L. Kennard), (330) 447

trans-Diarylbis(diethylphenylphosphine)palladium(II) complexes with aryl iodides, mechanisms of reactions giving biaryls of (F. Ozawa, T. Hidaka, T. Yamamoto, A. Yamamoto), (330) 253

Phosphorus

[Bis(diphenylphosphino)ethane]tricarbonyliron-(0), crystal and molecular structure of (L.P. Battaglia, D. Delledonne, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli, (330) 101

σ-Cyclobutyl–platinum bond formation by intramolecular activation of a cyclobutylphosphine; synthesis and structure of $[Pt(P(t\text{-}Bu)_2CH_2CHCH_2CH_2CH)]_2(\mu\text{-}Br)_2$ (B.L. Simms, J.A. Ibers), (330) 279

Cyclopentadienyl(olefin)(triisopropylphosphine)-iridium and cyclopentadienyl(bis-olefin)iridium, preparation and reactions of (M. Dziallas, A. Höhn, H. Werner), (330) 207

Cyclopentadienylruthenium(II) complexes, cleavage of aromatic and vynilic C–H bonds by (H. Lehmkuhl, M. Bellenbaum, J. Grundke), (330) C23

Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315

trans-Diarylbis(diethylphenylphosphine)palladium(II) complexes with aryl iodides, mechaninsms of reactions giving biaryls of (F. Ozawa, T. Hidaka, T. Yamamoto, A. Yamamoto), (330) 253

Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[Cp_2W(\mu\text{-}H)_2PtPh(PEt_3)][BPh_4]$ and $[Cp_2(H)W(\mu\text{-}H)PtPh(PEt_3)_2][BPh_4]$ (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π-bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Pentachlorotantalum reduction in pure trimethylphosphine; synthesis of compounds containing Ta-η^2-$CHPMe_2$; crystal structure of $[Ta(\eta^2\text{-}CHPMe_2)(\eta\text{-}C_4H_6)(PMe_3)_2Cl]$ (M.L.H. Green, P.M. Hare, J.A. Bandy), (330) 61

o-Phenylenediphosphine derivatives, unexpected redox behaviour during cyclisation reactions of (K. Issleib, H. Schmidt, E. Leissring), (330) 17

Platinum η^2-bonded nitroso complexes, reactivity of; crystal structure of $Pt(PPh_3)_2(PhNO)$ (M. Pizotti, F. Porta, S. Cenini, F. Demartin, N. Masciocchi), (330) 265

Tris(triphenylphosphine)ruthenium polyhydride complexes, catalysis of hydrogenation of benzophenone by (D.E. Linn, Jr., J. Halpern), (330) 155

Platinum

σ-Cyclobutyl–platinum bond formation by intramolecular activation of a cyclobutylphosphine; synthesis and structure of $[Pt(P(t\text{-}Bu)_2CH_2CHCH_2CH_2CH)]_2(\mu\text{-}Br)_2$ (B.L. Simms, J.A. Ibers), (330) 279

Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[Cp_2W(\mu\text{-}H)_2PtPh(PEt_3)][BPh_4]$ and $[Cp_2(H)W(\mu\text{-}H)PtP(PEt_3)_2][BPh_4]$ (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85

Platinum η^2-bonded nitroso complexes, reactivity of; crystal structure of $Pt(PPh_3)_2(PhNO)$ (M. Pizotti, F. Porta, S. Cenini, F. Demartin, N. Masciocchi), (330) 265

Platinum(II) complexes with asymmetric olefin ligands, preparation, circular dichroism and substitution reactions of (K. Saito, K. Kashiwabara), (330) 291

Unsaturated esters, asymmetric hydroformylation with $PtCl(SnCl_3)[(R,R)\text{-DIOP}]$ as catalyst of (L. Kollár, G. Consiglio, P. Pino), (330) 305

Rhenium

cis-$(CO)_4(SnPh_3)Re[C(OEt)NR_2]$ (R = i-Pr, cyclohexyl), behaviour toward Lewis acids of (A.C. Filippou, E.O. Fischer, H.G. Alt, (330) 325

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π-bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Rhodium

η^6-Arene-rhodium(III) and -iridium(III) complexes, $[(Me_2SiC_6H_5)_4M_2H_2]$ (M = Rh, Ir),

synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179

Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

Methyl- and aryl-(carbonyl)(iodo)pentamethylcyclopentadienylrhodium complexes, direct formation of ketones by reaction with organic iodides of (F.P. Fanizzi, G.J. Sunley, P.M. Maitlis), (330) C31

Methyl(phenyl)rhodium carbonyl complexes, promotion by organic halides of acetophenone formation from (G.J. Sunley, F.P. Fanizzi, I.M. Saez, P.M. Maitlis), (330) C27

Rhodium(I) dimeric complex with bridging σ- and π-bonded 2,5-dimethylpyrrolido ligands, synthesis, structure and reactions of (K. Yünlü, F. Basolo, A.L. Rheingold), (330) 221

Ruthenium

Aluminohydrideruthenium(II) complexes, preparation of (D.H. Lee, H. Suzuki, Y. Moro-oka), (330) C20

Cyclopentadienylruthenium(II) complexes, cleavage of aromatic and vinylic C–H bonds by (H. Lehmkuhl, M. Bellenbaum, J. Grundke), (330) C23

Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $Os_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, $Os_4(CO)_{12}(\mu_4\text{-}Bi)_2$, $Ru_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}Bi)$, and $Ru_4(CO)_{12}(\mu_4\text{-}Bi)_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whitton), (330) C5

Ruthenium-catalysed carbonylation of amines, solvent effects in; selective synthesis of dialkylformamides (G. Bitsi, G. Jenner), (330) 429

Triruthenium cluster, double oxidative addition of C–H bonds on; synthesis and characterisation of $Ru_3\{\mu\text{-}H_2,\eta^2,\mu_3\text{-}C(OEt)=C(H)\}(CO)_9$ and $Ru_3\{\mu\text{-}H_2,\eta^2,\mu_3\text{-}C(OEt)N(Me)C(H)\}(CO)_9$ (C.M. Jensen, H.D. Kaesz), (330) 133

Tris(triphenylphosphine)ruthenium polyhydride complexes, catalysis of hydrogenation of benzophenone by (D.E. Linn, Jr., J. Halpern), (330) 155

Samarium

Cyclooctatetraenide derivatives of divalent samarium (A.L. Wayda, S. Cheng, I. Mukerji), (330) C17

Selenium

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Organoiron complexes containing selenium atom bridges, structure of (C. Hecht, E. Herdtweck, J. Rohrmann, W.A. Herrmann, W. Beck, P. Fritz), (330) 389

Selenium and tellurium heterocyclic compounds, charge transfer complexes from (K.Y. Abis, W.R. McWhinnie), (330) 337

Silicon

η^6-Arene-rhodium(III) and -iridium(III) complexes, $[(Me_2SiC_6H_5)_4M_2H_2]$ (M = Rh, Ir), synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179

$C_5H_5MnL_2HSiR_3$ complexes, MO analysis of the MnSiH three-centre interaction in (H. Rabaâ, J.-Y. Saillard, U. Schubert), (330) 397

Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

Hexameric lithium dimethylnaphthylsilanoate, $[LiOSiNpMe_2]_6$, crystal and molecular structure of (T.A. Bazhenova, R.M. Lobkovskaya, R.P. Shibaeva, A.E. Shilov, A.K. Shilova), (330) 9

o-Phenylenediphosphine derivatives, unexpected redox behaviour during cyclisation reactions of (K. Issleib, H. Schmidt, E. Leissring), (330) 17

Tris(trimethylsilyl)methylsilicon compounds, reactions with organolithium reagents of (D.B. Azarian, C. Eaborn, P.D. Lickiss), (330) 1

Sulphur

Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315

Five-coordinate carbyne-tungsten complex with a 1,2-dithiolene ligand, synthesis of (A.C. Filippou, E.O. Fischer), (330) C1

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Tantalum

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47

Pentachlorotantalum reduction in pure trimethylphosphine; synthesis of compounds containing Ta-η^2-$CHPMe_2$; crystal structure of $[Ta(\eta^2\text{-}CHPMe_2)(\eta\text{-}C_4H_6)(PMe_3)_2Cl]$ (M.L.H. Green, P.M. Hare, J.A. Bandy), (330) 61

Tellurium

Selenium and tellurium heterocyclic compounds, charge transfer complexes from (K.Y. Abis, W.R. McWhinnie), (330) 337

Thallium

Cyclopentadienylthallium(I) compounds with bulky cyclopentadienyl ligands, preparation and characterisation of (H. Schumann, C. Janiak, H. Khani), (330) 347

Tin

Bivalent group 14 metal amides and alkyls, oxidative addition reactions of organic halides or acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

cis-$(CO)_4(SnPh_3)Re[C(OEt)NR_2]$ (R = i-Pr, cyclohexyl), behaviour towards Lewis acids of (A.C. Fillippou, E.O. Fischer, H.G. Alt), (330) 325

Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315

Dialkyldihalogenotin, highly selective synthesis directly from tin and alkyl halides or (R. Ugo, A. Chiesa, A. Fusi), (330) 25

Tungsten

Five-coordinate carbyne-tungsten complex with a 1,2-dithiolene ligand, synthesis of (A.C. Filippou, E.O. Fischer), (330) C1

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[Cp_2W(\mu\text{-}H)_2PtPh(PEt_3)][BPh_4]$ and $[Cp_2(H)W(\mu\text{-}H)PtPh(PEt_3)_2][BPh_4]$. (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85

Vanadium

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47